

825201

Comptank Corporation, Bothwell, Ontario					Knuckle Radius			3.6 inch	
Fill Volume - Tank				15-Oct-98				Head	
Model No.			File Name		JE60FV.xls				Equiv.
Cylinder Diameter				60 inch				Length	
Overall Length				40 feet incl heads				0.621	
Head Crown (height)				12 inch				ft	
Each Head (F & D)				12.2 cu. ft					
Height inch	Volume cu. ft	Volume Imp. Gal	Volume US Gal.	Volume Liters	C	Angle	l	Area	2 Heads
					inch	degree	inch	sq. inch	cu. ft
	1	6.229	7.481	28.317		half			24.4
0	0	0	0	0					
1	3	17	21	79	15.36	14.84	15.53	10.23	0.09
2	8	49	59	223	21.54	21.04	22.03	28.86	0.25
3	14	90	108	407	26.15	25.84	27.06	52.78	0.48
4	22	137	165	624	29.93	29.93	31.33	80.86	0.70
5	31	191	229	868	33.17	33.56	35.13	112.44	0.97
6	40	250	300	1135	36.00	36.87	38.60	147.04	1.27
7	50	313	376	1422	38.52	39.94	41.82	184.32	1.59
8	61	380	457	1728	40.79	42.83	44.85	223.99	1.83
9	72	451	542	2051	42.85	45.57	47.71	265.81	2.29
10	84	526	631	2389	44.72	48.19	50.45	309.61	2.67
11	97	603	724	2741	46.43	50.70	53.09	355.19	3.07
12	110	683	820	3105	48.00	53.13	55.63	402.41	3.47
13	123	766	920	3481	49.44	55.48	58.09	451.13	3.89
14	137	851	1022	3868	50.75	57.77	60.48	501.23	4.33
15	151	938	1127	4264	51.96	60.00	62.82	552.59	4.77
16	165	1027	1234	4670	53.07	62.18	65.10	605.10	5.22
17	180	1118	1343	5083	54.07	64.32	67.34	658.68	5.68
18	194	1211	1454	5504	54.99	66.42	69.54	713.21	6.15
19	209	1305	1567	5931	55.82	68.49	71.71	768.62	6.63
20	225	1400	1682	6365	56.57	70.53	73.84	824.81	7.12
21	240	1497	1798	6804	57.24	72.54	75.95	881.71	7.61
22	256	1594	1915	7248	57.83	74.53	78.04	939.25	8.11
23	272	1693	2033	7696	58.34	76.51	80.10	997.33	8.61
24	288	1792	2153	8148	58.79	78.46	82.15	1055.90	9.11
25	304	1893	2273	8603	59.16	80.41	84.19	1114.87	9.62
26	320	1993	2394	9061	59.46	82.34	86.21	1174.19	10.13
27	336	2094	2515	9521	59.70	84.26	88.22	1233.77	10.65
28	353	2196	2637	9982	59.87	86.18	90.23	1293.55	11.16
29	369	2298	2759	10446	59.97	88.09	92.23	1353.47	11.68
30	385	2399	2882	10907	60.00	90.00	94.23	1413.45	12.20

825201

Height inch	Volume cu. ft.	Volume Imp. Gal.	Volume US Gal.	Volume Liters				
31	402	2502	3005	11374				
32	418	2604	3127	11837				
33	434	2705	3249	12298				
34	451	2806	3371	12758				
35	467	2907	3492	13216				
36	483	3007	3612	13671				
37	499	3107	3731	14123				
38	515	3205	3850	14571				
39	530	3303	3967	15015				
40	546	3399	4083	15454				
41	561	3495	4198	15898				
42	576	3589	4310	16315				
43	591	3681	4422	16736				
44	606	3772	4531	17149				
45	620	3862	4638	17555				
46	634	3949	4743	17851				
47	648	4034	4845	18338				
48	661	4116	4944	18714				
49	674	4197	5040	19078				
50	686	4274	5133	19430				
51	698	4348	5223	19768				
52	709	4419	5308	20090				
53	720	4487	5389	20397				
54	730	4550	5465	20684				
55	740	4609	5535	20951				
56	748	4662	5600	21195				
57	756	4710	5657	21412				
58	763	4751	5706	21596				
59	768	4782	5744	21740				
60	771	4800	5765	21819				
Comptank Corporation, Bothwell, Ontario								
Fill Volume - Tank			15-Oct-98					
Model No.		File Name JE60FV.xls						
Cylinder Diameter		60 inch						
Overall Length		40 feet incl. heads						

825202

Height inch	Volume cu. ft.	Volume Imp. Gal.	Volume US Gal.	Volume Liters					
31	402	2502	3005	11374					
32	418	2604	3127	11837					
33	434	2705	3249	12298					
34	451	2806	3371	12758					
35	467	2907	3492	13216					
36	483	3007	3612	13671					
37	499	3107	3731	14123					
38	515	3205	3850	14571					
39	530	3303	3967	15015					
40	546	3399	4083	15454					
41	561	3495	4198	15898					
42	576	3589	4310	16315					
43	591	3681	4422	16736					
44	606	3772	4531	17149					
45	620	3862	4638	17555					
46	634	3949	4743	17951					
47	648	4034	4845	18338					
48	661	4116	4944	18714					
49	674	4197	5040	19078					
50	686	4274	5133	19430					
51	698	4348	5223	19768					
52	709	4419	5308	20090					
53	720	4487	5389	20397					
54	730	4550	5465	20684					
55	740	4609	5535	20951					
56	748	4682	5600	21195					
57	756	4710	5657	21412					
58	763	4751	5706	21596					
59	768	4782	5744	21740					
60	771	4800	5765	21819					
Comptank Corporation, Bothwell, Ontario									
Fill Volume - Tank			15 Oct 98						
Model No.		File Name JE60FV.xls							
Cylinder Diameter		60 inch							
Overall Length		40 feet incl. heads							

825202

Comptank Corporation, Bothwell, Ontario					Knuckle Radius			3.6 inch	
Full Volume - Tank				15-Oct-98				Head	
Model No.			File Name JE60FV.xls					Equiv.	
Cylinder Diameter				60 inch				Length	
Overall Length				40 feet incl. heads				0.621	
Head Crown (height)				12 inch				ft	
Each Head (F & D)				12.2 cu. ft.					
Height inch	Volume cu. ft.	Volume Imp. Gal.	Volume US Gal.	Volume Liters	C	Angle	I	Area	2 Heads
					inch	degree	inch	sq. inch	cu. ft.
	1	6.229	7.481	28.317		half			24.4
0	0	0	0	0					
1	3	17	21	79	15.36	14.84	15.53	10.23	0.09
2	8	49	59	223	21.54	21.04	22.03	28.86	0.25
3	14	90	108	407	26.15	25.84	27.06	52.78	0.46
4	22	137	165	624	29.93	29.93	31.33	80.86	0.70
5	31	191	229	868	33.17	33.56	35.13	112.44	0.97
6	40	250	300	1135	36.00	36.87	38.60	147.04	1.27
7	50	313	376	1422	38.52	39.94	41.82	184.32	1.59
8	61	380	457	1728	40.79	42.83	44.85	223.99	1.93
9	72	451	542	2051	42.85	45.57	47.71	265.81	2.29
10	84	526	631	2389	44.72	48.19	50.45	309.61	2.67
11	97	603	724	2741	46.43	50.70	53.09	355.19	3.07
12	110	683	820	3105	48.00	53.13	55.63	402.41	3.47
13	123	766	920	3481	49.44	55.49	58.09	451.13	3.89
14	137	851	1022	3858	50.75	57.77	60.48	501.23	4.33
15	151	938	1127	4264	51.96	60.00	62.82	552.59	4.77
16	165	1027	1234	4670	53.07	62.18	65.10	605.10	5.22
17	180	1118	1343	5083	54.07	64.32	67.34	658.68	5.68
18	194	1211	1454	5504	54.99	66.42	69.54	713.21	6.15
19	209	1305	1567	5931	55.82	68.49	71.71	768.62	6.63
20	225	1400	1682	6365	56.57	70.53	73.84	824.81	7.12
21	240	1497	1798	6804	57.24	72.54	75.95	881.71	7.61
22	256	1594	1915	7248	57.83	74.53	78.04	939.25	8.11
23	272	1693	2033	7696	58.34	76.51	80.10	997.33	8.61
24	288	1792	2153	8148	58.79	78.48	82.15	1055.90	9.11
25	304	1893	2273	8603	59.16	80.41	84.19	1114.87	9.62
26	320	1993	2394	9061	59.46	82.34	86.21	1174.19	10.13
27	336	2094	2515	9521	59.70	84.26	88.22	1233.77	10.65
28	353	2196	2637	9982	59.87	86.18	90.23	1293.55	11.16
29	369	2298	2759	10445	59.97	88.09	92.23	1353.47	11.68
30	385	2399	2882	10907	60.00	90.00	94.23	1413.45	12.20

Comptank Corporation, Bothwell, Ontario

825205

Fill Volume - Tank 1-May-11

2C9LTA2B9BB075588 75588

Cylinder Diameter 60 inch

Overall Length 40 feet incl. heads

Head Crown (height) 12 inch

Each Head (F & D) 12.2 cu. ft.

Height inch	Volume cu. ft. 1	Volume Imp. Gal. 6.229	Volume US Gal. 7.481	Volume Liters 28.317
0	0	0	0	0
1	3	17	21	79
2	8	49	59	223
3	14	90	108	407
4	22	137	165	624
5	31	191	229	868
6	40	250	300	1135
7	50	313	376	1422
8	61	380	457	1728
9	72	451	542	2051
10	84	526	631	2389
11	97	603	724	2741
12	110	683	820	3105
13	123	766	920	3481
14	137	851	1022	3868
15	151	938	1127	4264
16	165	1027	1234	4670
17	180	1118	1343	5083
18	194	1211	1454	5504
19	209	1305	1567	5931
20	225	1400	1682	6365
21	240	1497	1798	6804
22	256	1594	1915	7248
23	272	1693	2033	7696
24	288	1792	2153	8148
25	304	1893	2273	8603
26	320	1993	2394	9061
27	336	2094	2515	9521
28	353	2196	2637	9982
29	369	2298	2759	10445
30	385	2399	2882	10907

Height inch	Volume cu. ft.	Volume Imp. Gal.	Volume US Gal.	Volume Liters
31	402	2502	3005	11374
32	418	2604	3127	11837
33	434	2705	3249	12298
34	451	2806	3371	12758
35	467	2907	3492	13216
36	483	3007	3612	13671
37	499	3107	3731	14123
38	515	3205	3850	14571
39	530	3303	3967	15015
40	546	3399	4083	15454
41	561	3495	4198	15888
42	576	3589	4310	16315
43	591	3681	4422	16736
44	606	3772	4531	17149
45	620	3862	4638	17555
46	634	3949	4743	17951
47	648	4034	4845	18338
48	661	4116	4944	18714
49	674	4197	5040	19078
50	686	4274	5133	19430
51	698	4348	5223	19768
52	709	4419	5308	20090
53	720	4487	5389	20397
54	730	4550	5465	20684
55	740	4609	5535	20951
56	748	4662	5600	21195
57	756	4710	5657	21412
58	763	4751	5706	21596
59	768	4782	5744	21740
60	771	4800	5765	21819

Comptank Corporation, Bothwell, Ontario

Fill Volume - Tank 5/1/2011

2C9LTA2B9BB075588 0

Cylinder Diameter 60 inch 0

Overall Length 40 feet incl. heads

Theoretical Calibration. Not for Trade

Comptank Corporation, Bothwell, Ontario

FRT Volume - Tank		1-May-11
C9LTA2B0BB075589		75589
Cylinder Diameter	60 inch	
Overall Length	40 feet incl. heads	
Head Crown (height)	12 inch	
Each Head (F & D)	12.2 cu. ft.	

Height inch	Volume cu. ft. 1	Volume Imp. Gal. 6.229	Volume US Gal. 7.481	Volume Liters 28.317
0	0	0	0	0
1	3	17	21	79
2	8	49	59	223
3	14	90	108	407
4	22	137	165	624
5	31	191	229	868
6	40	250	300	1135
7	50	313	376	1422
8	61	380	457	1728
9	72	451	542	2051
10	84	526	631	2389
11	97	603	724	2741
12	110	683	820	3105
13	123	766	920	3481
14	137	851	1022	3868
15	151	938	1127	4264
16	165	1027	1234	4670
17	180	1118	1343	5083
18	194	1211	1454	5504
19	209	1305	1567	5931
20	225	1400	1682	6365
21	240	1497	1798	6804
22	256	1594	1915	7248
23	272	1693	2033	7696
24	288	1792	2153	8148
25	304	1893	2273	8603
26	320	1993	2394	9061
27	336	2094	2515	9521
28	353	2196	2637	9982
29	369	2298	2759	10445
30	385	2399	2882	10907

825206

Height inch	Volume cu. ft.	Volume Imp. Gal.	Volume US Gal.	Volume Liters
31	402	2502	3005	11374
32	418	2604	3127	11837
33	434	2705	3249	12298
34	451	2806	3371	12758
35	467	2907	3492	13216
36	483	3007	3612	13671
37	499	3107	3731	14123
38	515	3205	3850	14571
39	530	3303	3967	15015
40	546	3399	4083	15454
41	561	3495	4198	15888
42	576	3589	4310	16315
43	591	3681	4422	16736
44	606	3772	4531	17149
45	620	3862	4638	17555
46	634	3949	4743	17951
47	648	4034	4845	18338
48	661	4116	4944	18714
49	674	4197	5040	19078
50	686	4274	5133	19430
51	698	4348	5223	19768
52	709	4419	5308	20090
53	720	4487	5389	20397
54	730	4550	5465	20684
55	740	4609	5535	20951
56	748	4662	5600	21195
57	756	4710	5657	21412
58	763	4751	5706	21596
59	768	4782	5744	21740
60	771	4800	5765	21819
Comptank Corporation, Bothwell, Ontario				
Fill Volume - Tank				5/1/2011
2C9LTA2B0BB075589			0	
Cylinder Diameter		60 inch		0
Overall Length		40 feet incl. heads		
Theoretical Calibration. Not for Trade				



825207

SERIAL NO. C1070-71  
 THEORETICAL OUTAGE CALIBRATION  
 STANDARD UNITS

Tank Inside Dia. = 58.0 in. Shell Length = 456.0 in.  
 Head Volume = 116.28 gal.  
 Capacity = 5448 gal.

INCH	- 0 -	1/4	1/2	3/4	INCH	- 0 -	1/4	1/2	3/4
6	5448	5445	5441	5435	35	2724	2694	2664	2634
7	5427	5419	5410	5400	36	2604	2575	2545	2515
8	5389	5378	5366	5354	37	2485	2455	2425	2396
9	5341	5327	5313	5299	38	2366	2336	2306	2277
10	5284	5269	5253	5237	39	2247	2218	2188	2159
11	5220	5203	5186	5168	40	2129	2100	2070	2041
12	5150	5132	5113	5094	41	2012	1982	1953	1924
13	5075	5055	5035	5015	42	1895	1866	1837	1808
14	4994	4974	4953	4931	43	1780	1751	1722	1694
15	4910	4888	4866	4844	44	1665	1637	1609	1580
16	4821	4799	4776	4753	45	1552	1524	1496	1468
17	4729	4706	4682	4658	46	1441	1413	1386	1358
18	4634	4610	4585	4560	47	1331	1304	1277	1250
19	4536	4511	4485	4460	48	1223	1196	1170	1143
20	4434	4409	4383	4357	49	1117	1091	1065	1039
21	4331	4305	4278	4252	50	1014	988	963	938
22	4225	4198	4171	4144	51	913	888	863	839
23	4117	4090	4062	4035	52	814	790	766	742
24	4007	3980	3952	3924	53	719	696	672	649
25	3896	3868	3840	3811	54	627	604	582	560
26	3783	3754	3726	3697	55	538	517	495	474
27	3669	3640	3611	3582	56	454	433	413	393
28	3553	3524	3495	3466	57	373	354	335	316
29	3436	3407	3378	3348	58	298	280	262	245
30	3319	3290	3260	3231	59	228	211	195	179
31	3201	3171	3142	3112	60	164	149	135	121
32	3082	3052	3023	2993	61	107	94	82	70
33	2963	2933	2903	2873	62	59	48	38	29
34	2844	2814	2784	2754	63	21	14	7	3

\* THEORETICAL CALIBRATION IS NOT INTENDED FOR LEGAL MEASUREMENT OF PRODUCT VOLUMES!

\* OUTAGE IS MEASURED FROM TOP EDGE OF MANHOLE COLLAR.

825208

SERIAL NO. FRP 5400  
 COMPARTMENT NO. 1

THEORETICAL INNAGE CALIBRATION  
 STANDARD UNITS

Tank Inside Dia. = 58.0 in. Shell Length = 456.0 in.  
 Head Volume = 116.28 gal.  
 Capacity = 5448 gal.

INCH	- 0 -	1/4	1/2	3/4	INCH	- 0 -	1/4	1/2	3/4
0	0	3	7	14	30	2844	2873	2903	2933
1	21	29	38	48	31	2963	2993	3023	3052
2	59	70	82	94	32	3082	3112	3142	3171
3	107	121	135	149	33	3201	3231	3260	3290
4	164	179	195	211	34	3319	3348	3378	3407
5	228	245	262	280	35	3436	3466	3495	3524
6	298	316	335	354	36	3553	3582	3611	3640
7	373	393	413	433	37	3669	3697	3726	3754
8	454	474	495	517	38	3783	3811	3840	3868
9	538	560	582	604	39	3896	3924	3952	3980
10	627	649	672	696	40	4007	4035	4062	4090
11	719	742	766	790	41	4117	4144	4171	4198
12	814	839	863	888	42	4225	4252	4278	4305
13	913	938	963	988	43	4331	4357	4383	4409
14	1014	1039	1065	1091	44	4434	4460	4485	4511
15	1117	1143	1170	1196	45	4536	4560	4585	4610
16	1223	1250	1277	1304	46	4634	4658	4682	4706
17	1331	1358	1386	1413	47	4729	4753	4776	4799
18	1441	1468	1496	1524	48	4821	4844	4866	4888
19	1552	1580	1609	1637	49	4910	4931	4953	4974
20	1665	1694	1722	1751	50	4994	5015	5035	5055
21	1780	1808	1837	1866	51	5075	5094	5113	5132
22	1895	1924	1953	1982	52	5150	5168	5186	5203
23	2012	2041	2070	2100	53	5220	5237	5253	5269
24	2129	2159	2188	2218	54	5284	5299	5313	5327
25	2247	2277	2306	2336	55	5341	5354	5366	5378
26	2366	2396	2425	2455	56	5389	5400	5410	5419
27	2485	2515	2545	2575	57	5427	5435	5441	5445
28	2604	2634	2664	2694	58	5448			
29	2724	2754	2784	2814					

\* THEORETICAL CALIBRATION IS NOT INTENDED FOR LEGAL MEASUREMENT  
 OF PRODUCT VOLUMES!

825209

SERIAL NO. FRP 5400  
 COMPARTMENT NO. 1

THEORETICAL INNAGE CALIBRATION  
 STANDARD UNITS

Tank Inside Dia. = 58.0 in. Shell Length = 456.0 in.  
 Head Volume = 116.28 gal.  
 Capacity = 5448 gal.

INCH	- 0 -	1/4	1/2	3/4	INCH	- 0 -	1/4	1/2	3/4
0	0	3	7	14	30	2844	2873	2903	2933
1	21	29	38	48	31	2963	2993	3023	3052
2	59	70	82	94	32	3082	3112	3142	3171
3	107	121	135	149	33	3201	3231	3260	3290
4	164	179	195	211	34	3319	3348	3378	3407
5	228	245	262	280	35	3436	3466	3495	3524
6	298	316	335	354	36	3553	3582	3611	3640
7	373	393	413	433	37	3669	3697	3726	3754
8	454	474	495	517	38	3783	3811	3840	3868
9	538	560	582	604	39	3896	3924	3952	3980
10	627	649	672	696	40	4007	4035	4062	4090
11	719	742	766	790	41	4117	4144	4171	4198
12	814	839	863	888	42	4225	4252	4278	4305
13	913	938	963	988	43	4331	4357	4383	4409
14	1014	1039	1065	1091	44	4434	4460	4485	4511
15	1117	1143	1170	1196	45	4536	4560	4585	4610
16	1223	1250	1277	1304	46	4634	4658	4682	4706
17	1331	1358	1386	1413	47	4729	4753	4776	4799
18	1441	1468	1496	1524	48	4821	4844	4866	4888
19	1552	1580	1609	1637	49	4910	4931	4953	4974
20	1665	1694	1722	1751	50	4994	5015	5035	5055
21	1780	1808	1837	1866	51	5075	5094	5113	5132
22	1895	1924	1953	1982	52	5150	5168	5186	5203
23	2012	2041	2070	2100	53	5220	5237	5253	5269
24	2129	2159	2188	2218	54	5284	5299	5313	5327
25	2247	2277	2306	2336	55	5341	5354	5366	5378
26	2366	2396	2425	2455	56	5389	5400	5410	5419
27	2485	2515	2545	2575	57	5427	5435	5441	5445
28	2604	2634	2664	2694	58	5448			
29	2724	2754	2784	2814					

\* THEORETICAL CALIBRATION IS NOT INTENDED FOR LEGAL MEASUREMENT  
 OF PRODUCT VOLUMES!

SERIAL NO. FRP 5400  
COMPARTMENT NO. 1

825210

THEORETICAL INNAGE CALIBRATION  
STANDARD UNITS

Tank Inside Dia.= 58.0 in. Shell Length = 456.0 in.  
Head Volume = 116.28 gal.  
Capacity = 5448 gal.

INCH	- 0 -	1/4	1/2	3/4	INCH	- 0 -	1/4	1/2	3/4
0	0	3	7	14	30	2844	2873	2903	2933
1	21	29	38	48	31	2963	2993	3023	3052
2	59	70	82	94	32	3082	3112	3142	3171
3	107	121	135	149	33	3201	3231	3260	3290
4	164	179	195	211	34	3319	3348	3378	3407
5	228	245	262	280	35	3436	3466	3495	3524
6	298	316	335	354	36	3553	3582	3611	3640
7	373	393	413	433	37	3669	3697	3726	3754
8	454	474	495	517	38	3783	3811	3840	3868
9	538	560	582	604	39	3896	3924	3952	3980
10	627	649	672	696	40	4007	4035	4062	4090
11	719	742	766	790	41	4117	4144	4171	4198
12	814	839	863	888	42	4225	4252	4278	4305
13	913	938	963	988	43	4331	4357	4383	4409
14	1014	1039	1065	1091	44	4434	4460	4485	4511
15	1117	1143	1170	1196	45	4536	4560	4585	4610
16	1223	1250	1277	1304	46	4634	4658	4682	4706
17	1331	1358	1386	1413	47	4729	4753	4776	4799
18	1441	1468	1496	1524	48	4821	4844	4866	4888
19	1552	1580	1609	1637	49	4910	4931	4953	4974
20	1665	1694	1722	1751	50	4994	5015	5035	5055
21	1780	1808	1837	1866	51	5075	5094	5113	5132
22	1895	1924	1953	1982	52	5150	5168	5186	5203
23	2012	2041	2070	2100	53	5220	5237	5253	5269
24	2129	2159	2188	2218	54	5284	5299	5313	5327
25	2247	2277	2306	2336	55	5341	5354	5366	5378
26	2366	2396	2425	2455	56	5389	5400	5410	5419
27	2485	2515	2545	2575	57	5427	5435	5441	5445
28	2604	2634	2664	2694	58	5448			
29	2724	2754	2784	2814					

\* THEORETICAL CALIBRATION IS NOT INTENDED FOR LEGAL MEASUREMENT  
OF PRODUCT VOLUMES!

SERIAL NO. FRP 5400  
COMPARTMENT NO. 1

825211

THEORETICAL INNAGE CALIBRATION  
STANDARD UNITS

Tank Inside Dia. = 58.0 in. Shell Length = 456.0 in.  
Head Volume = 116.28 gal.  
Capacity = 5448 gal.

INCH	- 0 -	1/4	1/2	3/4	INCH	- 0 -	1/4	1/2	3/4
0	0	3	7	14	30	2844	2873	2903	2933
1	21	29	38	48	31	2963	2993	3023	3052
2	59	70	82	94	32	3082	3112	3142	3171
3	107	121	135	149	33	3201	3231	3260	3290
4	164	179	195	211	34	3319	3348	3378	3407
5	228	245	262	280	35	3436	3466	3495	3524
6	298	316	335	354	36	3553	3582	3611	3640
7	373	393	413	433	37	3669	3697	3726	3754
8	454	474	495	517	38	3783	3811	3840	3868
9	538	560	582	604	39	3896	3924	3952	3980
10	627	649	672	696	40	4007	4035	4062	4090
11	719	742	766	790	41	4117	4144	4171	4198
12	814	839	863	888	42	4225	4252	4278	4305
13	913	938	963	988	43	4331	4357	4383	4409
14	1014	1039	1065	1091	44	4434	4460	4485	4511
15	1117	1143	1170	1196	45	4536	4560	4585	4610
16	1223	1250	1277	1304	46	4634	4658	4682	4706
17	1331	1358	1386	1413	47	4729	4753	4776	4799
18	1441	1468	1496	1524	48	4821	4844	4866	4888
19	1552	1580	1609	1637	49	4910	4931	4953	4974
20	1665	1694	1722	1751	50	4994	5015	5035	5055
21	1780	1808	1837	1866	51	5075	5094	5113	5132
22	1895	1924	1953	1982	52	5150	5168	5186	5203
23	2012	2041	2070	2100	53	5220	5237	5253	5269
24	2129	2159	2188	2218	54	5284	5299	5313	5327
25	2247	2277	2306	2336	55	5341	5354	5366	5378
26	2366	2396	2425	2455	56	5389	5400	5410	5419
27	2485	2515	2545	2575	57	5427	5435	5441	5445
28	2604	2634	2664	2694	58	5448			
29	2724	2754	2784	2814					

\* THEORETICAL CALIBRATION IS NOT INTENDED FOR LEGAL MEASUREMENT  
OF PRODUCT VOLUMES!