

125715

95

CALIBRATION RECORD

COMPARTMENTS

FORD BROTHERS
COAL GROVE, O.

5800

Unit No. 310 TM

Max. Cap. 5800

Gauged 3-20 1969

At Coal Grove, Ohio

By Ted Dewitz

WITNESSES

Marvin Dodd

Sack

Safety Valves

Open Closed x

SPECIFICATIONS

Make Mobilobile

Make of Tank

Delta

Year 1962

Serial 26758

No. Wheels Four

Tire Size 10 x 22

Outlets One 3"

Special Equipment

25 lbs. pressure

SYMBOLS

S.D.: Surface Dome

M: Marker

S.D.	5860		
78-3/4	5900M	57-1/2	1900
76-3/4	5700	35-1/2	1800
75-	6600	33-1/2	1700
73-1/2	5500M	34-3/8	1600
72-1/8	5400	31-3/8	1500
70-7/8	5300	32-1/4	1400
69-5/8	5200	31-3/8	1300
68-1/2	5100	30-	1200
67-1/4	5000M	28-3/4	1100
66-1/4	4900	27-3/4	1000
65-1/8	4800	26-1/2	900
64-	4700	25-	800
63-	4600	23-1/2	700
62-	4500M	22-1/8	600
61-	4400	20-1/4	500
60-	4300	18-3/8	400
59-	4200	16-1/8	300
58-1/8	4100	13-1/2	200
57-1/8	4000M	9-3/4	100
56-1/8	3900		
55-1/4	3800	85-	L.T.
54-3/8	3700		
53-3/8	3600		
52-1/2	3500M		
51-1/2	3400		
50-1/2	3300		
49-1/2	3200		
48-5/8	3100		
47-7/8	3000		
46-7/8	2900		
46-	2800		
45-	2700		
44-1/8	2600		
43-1/8	2500		
42-1/8	2400		
41-1/4	2300		
40-1/4	2200		
39-1/8	2100		
38-1/2	2000		

This is to certify that the vehicle carrying this chart has been calibrated by unit, checked and certified by the State of Ohio and information set out herein is correct. Inspected and checked with air line markers are properly indicated. Measurements from bottom of tank indicated. Safety valves to code, and free from leakage. Capacity of each compartment indicated.

Gives under my hand this 20th day of April 1969

Charles D. Johnson
Deputy Sealer of Weights and Measures

Francis Ward My Commission expires 4-13-71
Notary Public

126146

THEORETICAL CALIBRATION CHART
Stainless Tank and Equipment

Customer SUPERIOR TANK

Nom. Capy. 6695. gallons

Serial no.

Diameters 53.500, 76.000, 53.500 inches

Date 12/17/99

Lengths 228.750, 228.750 inches

Compartment number SINGLE

In Domestic and Inage

INCHES	GALLONS	INCHES	GALLONS	INCHES	GALLONS	INCHES	GALLONS	INCHES	GALLONS
.00	0	23.00	919	46.00	3684	69.00	6306	.00	0
1.00	0	24.00	1015	47.00	3813	70.00	6385	.00	0
2.00	2	25.00	1116	48.00	3943	71.00	6458	.00	0
3.00	6	26.00	1220	49.00	4072	72.00	6524	.00	0
4.00	13	27.00	1328	50.00	4200	73.00	6583	.00	0
5.00	22	28.00	1438	51.00	4327	74.00	6634	.00	0
6.00	35	29.00	1551	52.00	4454	75.00	6673	.00	0
7.00	51	30.00	1666	53.00	4579	76.00	6695	.00	0
8.00	71	31.00	1783	54.00	4704	.00	0	.00	0
9.00	95	32.00	1902	55.00	4826	.00	0	.00	0
10.00	123	33.00	2023	56.00	4948	.00	0	.00	0
11.00	155	34.00	2146	57.00	5068	.00	0	.00	0
12.00	192	35.00	2269	58.00	5186	.00	0	.00	0
13.00	234	36.00	2395	59.00	5302	.00	0	.00	0
14.00	280	37.00	2521	60.00	5416	.00	0	.00	0
15.00	330	38.00	2648	61.00	5527	.00	0	.00	0
16.00	386	39.00	2776	62.00	5636	.00	0	.00	0
17.00	447	40.00	2905	63.00	5742	.00	0	.00	0
18.00	513	41.00	3034	64.00	5845	.00	0	.00	0
19.00	583	42.00	3164	65.00	5945	.00	0	.00	0
20.00	659	43.00	3294	66.00	6042	.00	0	.00	0
21.00	740	44.00	3424	67.00	6134	.00	0	.00	0
22.00	827	45.00	3554	68.00	6223	.00	0	.00	0

214216

M C Tank Transport Inc

Units # 139

THEORETICAL CALIBRATION

INCHES	GALLONS	INCHES	GALLONS	INCHES	GALLONS	INCHES	GALLONS	INCHES	GALLON
1	19	19	1420	37	3309				
2	54	20	1523	38	3408				
3	99	21	1626	39	3505				
4	151	22	1731	40	3600				
5	210	23	1836	41	3694				
6	274	24	1942	42	3785				
7	344	25	2048	43	3874				
8	417	26	2155	44	3959				
9	495	27	2262	45	4042				
10	576	28	2369	46	4122				
11	660	29	2476	47	4197				
12	748	30	2582	48	4269				
13	837	31	2688	49	4336				
14	930	32	2794	50	4397				
15	1024	33	2899	51	4453				
16	1121	34	3003	52	4502				
17	1219	35	3106	53	4542				
18	1319	36	3208	54	4570				

54.5" dia. x 442" long

215240

FROM

P 2

TO: LIQUID TRANSPORT CORP.

BRENNER SERIAL #A1619-A1621

TANK THEORETICAL CALIBRATION

Radius = 28.1 in Length = 476.1 in
Diameter = 56.3 in Capacity = 5121 gal

INCH	- 0 -	1/4	1/2	3/4	INCH	- 0 -	1/4	1/2	3/4
0	0	3	7	14	28	2546	2575	2604	2633
1	21	29	38	47	29	2662	2691	2720	2749
2	58	69	81	93	30	2778	2807	2835	2864
3	106	119	133	147	31	2893	2922	2951	2980
4	161	177	192	208	32	3008	3037	3066	3094
5	224	241	258	275	33	3123	3151	3180	3208
6	293	311	330	348	34	3236	3265	3293	3321
7	367	386	406	426	35	3349	3377	3405	3433
8	446	466	487	508	36	3461	3489	3517	3544
9	529	550	572	594	37	3572	3599	3627	3654
10	616	638	661	683	38	3681	3708	3735	3762
11	706	729	752	776	39	3789	3816	3842	3869
12	800	823	847	872	40	3895	3921	3947	3973
13	896	920	945	970	41	3999	4025	4050	4076
14	995	1020	1045	1071	42	4101	4126	4151	4176
15	1096	1122	1148	1174	43	4201	4225	4249	4274
16	1200	1226	1252	1279	44	4298	4321	4345	4369
17	1305	1332	1359	1386	45	4392	4415	4438	4460
18	1413	1440	1467	1494	46	4483	4505	4527	4549
19	1522	1549	1577	1604	47	4571	4592	4613	4634
20	1632	1660	1688	1716	48	4655	4675	4695	4715
21	1744	1772	1800	1828	49	4735	4754	4773	4791
22	1856	1885	1913	1941	50	4810	4828	4846	4863
23	1970	1998	2027	2055	51	4880	4897	4913	4929
24	2084	2113	2141	2170	52	4944	4960	4974	4988
25	2199	2228	2257	2286	53	5002	5015	5028	5040
26	2314	2343	2372	2401	54	5052	5063	5074	5083
27	2430	2459	2488	2517	55	5092	5100	5107	5114

THEORETICAL CALIBRATION IS NOT INTENDED FOR LEGAL MEASUREMENT OF PRODUCT VOLUMES!

224201

CALCULATED TANK CALIBRATION NOT LEGAL FOR BUYING OR SELLING

For Serial No. 7039
TANK DIAMETER IS 49.75
TANK LENGTH IS 468

224201

DEPTH OF LIQUID ***** Inches	VOLUME ***** Gallons
1.00	18.9
2.00	53.2
3.00	97.7
4.00	149.3
5.00	208.6
6.00	271.8
7.00	339.7
8.00	414.4
9.00	490.2
10.00	572.8
11.00	655.0
12.00	740.0
13.00	831.4
14.00	921.0
15.00	1017.2
16.00	1110.6
17.00	1205.5
18.00	1306.8
19.00	1404.2
20.00	1508.0
21.00	1607.2
22.00	1707.1
23.00	1813.0
24.00	1913.6
25.00	2020.1
26.00	2120.9
27.00	2221.5
28.00	2327.4
29.00	2427.1
30.00	2531.8
31.00	2630.0
32.00	2727.1
33.00	2828.4
34.00	2923.0
35.00	3021.0
36.00	3112.1
37.00	3201.2
38.00	3292.6
39.00	3376.9
40.00	3462.4
41.00	3540.9
42.00	3615.8
43.00	3690.2
44.00	3757.0
45.00	3821.5
46.00	3877.8
47.00	3927.5
48.00	3970.9
49.00	4002.2
49.75	4015.1



224225

226

233

ROUND PATTERN CALIBRATION PROGRAM
RUN ID 293919 FILE ID 1588

PAGE 01 OF 01
DATE 07-26-94

THEORETICAL CALIBRATION FOR
SERIAL NUMBER 4KK 038002
MODEL NUMBER TKA-F2-R 4500 X 1

CAPACITY OF COMPARTMENT ONE

4,500 NOMINAL GALLONS + 0.00%
4,500 GALLONS SHELL FULL

- NOTES: 1. CAPACITY IN U.S. GALLONS - TANK ASSUMED LEVEL.
- 2. CALIBRATION COMPUTED MATHEMATICALLY - NOT LEGAL FOR TRADE.
- 3. FLUID CAPACITY OF PIPING NOT INCLUDED.

DEPTH	.00	.25	.50	.75	DEPTH	.00	.25	.50	.75
--- U.S. GALLONS ---					--- U.S. GALLONS ---				
0 IN	0	2	7	13	1 IN	19	27	36	45
2 IN	55	65	76	88	3 IN	100	113	126	139
4 IN	153	168	182	198	5 IN	213	229	245	262
6 IN	279	296	313	331	7 IN	349	368	386	405
8 IN	425	444	464	484	9 IN	504	524	545	566
10 IN	587	608	629	651	11 IN	673	695	717	740
12 IN	762	785	808	831	13 IN	854	878	901	925
14 IN	949	973	997	1022	15 IN	1046	1071	1095	1120
16 IN	1145	1170	1195	1220	17 IN	1246	1271	1297	1322
18 IN	1348	1374	1400	1426	19 IN	1452	1478	1505	1531
20 IN	1557	1584	1610	1637	21 IN	1664	1690	1717	1744
22 IN	1771	1798	1825	1852	23 IN	1879	1906	1933	1961
24 IN	1988	2015	2042	2070	25 IN	2097	2124	2152	2179
26 IN	2206	2234	2261	2289	27 IN	2316	2343	2371	2398
28 IN	2425	2453	2480	2507	29 IN	2535	2562	2589	2617
30 IN	2644	2671	2698	2725	31 IN	2752	2779	2806	2833
32 IN	2860	2887	2914	2940	33 IN	2967	2994	3020	3047
34 IN	3073	3099	3126	3152	35 IN	3178	3204	3230	3256
36 IN	3281	3307	3333	3358	37 IN	3383	3409	3434	3459
38 IN	3484	3508	3533	3558	39 IN	3582	3606	3630	3654
40 IN	3678	3702	3725	3749	41 IN	3772	3795	3818	3841
42 IN	3863	3886	3908	3930	43 IN	3952	3973	3995	4016
44 IN	4037	4058	4078	4098	45 IN	4119	4138	4158	4177
46 IN	4197	4215	4234	4252	47 IN	4270	4288	4305	4323
48 IN	4339	4356	4372	4388	49 IN	4403	4418	4433	4447
50 IN	4461	4474	4487	4500	51 IN	4512	4523	4534	4544
52 IN	4554	4563	4571	4579	53 IN	4585	4591	4595	

195

CALIBRATION CHART STRAIGHT ROUND
 INCHAGE
 ** US GALLONS **

224227

~~209~~
 201

COMPARTMENT LENGTH= 488.000 INCHES BARREL/CPT I.D.= 53.125 INCHES
 HEAD GALLONAGE= 125. GALLONS INCREMENT= .250 INCHES

	0 FT	1 FT	2FT	3FT	4 FT
.00	0.	776.	2023.	3335.	4391.
.25	2.	799.	2051.	3361.	4407.
.50	7.	822.	2078.	3386.	4422.
.75	13.	846.	2106.	3412.	4438.
1.00	20.	869.	2134.	3438.	4452.
1.25	27.	893.	2162.	3463.	4467.
1.50	36.	917.	2189.	3488.	4481.
1.75	45.	941.	2217.	3513.	4494.
2.00	55.	966.	2245.	3539.	4508.
2.25	66.	990.	2273.	3563.	4520.
2.50	77.	1015.	2301.	3588.	4532.
2.75	89.	1039.	2329.	3613.	4544.
3.00	102.	1064.	2356.	3637.	4555.
3.25	114.	1089.	2384.	3662.	4565.
3.50	128.	1114.	2412.	3686.	4575.
3.75	141.	1140.	2440.	3710.	4584.
4.00	156.	1165.	2468.	3734.	4592.
4.25	170.	1191.	2495.	3758.	4599.
4.50	185.	1216.	2523.	3782.	4606.
4.75	201.	1242.	2551.	3805.	4611.
5.00	217.	1268.	2579.	3828.	4615.
5.25	233.	1294.	2606.	3851.	
5.50	249.	1320.	2634.	3874.	
5.75	266.	1346.	2662.	3897.	
6.00	283.	1372.	2689.	3920.	
6.25	301.	1398.	2717.	3942.	
6.50	319.	1425.	2744.	3964.	
6.75	337.	1451.	2772.	3986.	
7.00	355.	1478.	2799.	4008.	
7.25	374.	1505.	2827.	4029.	
7.50	393.	1531.	2854.	4051.	
7.75	412.	1558.	2881.	4072.	
8.00	432.	1585.	2909.	4093.	
8.25	451.	1612.	2936.	4113.	
8.50	471.	1639.	2963.	4134.	
8.75	492.	1666.	2990.	4154.	
9.00	512.	1693.	3017.	4174.	
9.25	533.	1720.	3044.	4194.	
9.50	554.	1748.	3071.	4213.	
9.75	575.	1775.	3097.	4232.	
10.00	597.	1802.	3124.	4251.	
10.25	618.	1830.	3151.	4270.	
10.50	640.	1857.	3177.	4288.	
10.75	662.	1885.	3204.	4306.	
11.00	685.	1912.	3230.	4323.	
11.25	707.	1940.	3256.	4341.	
11.50	730.	1968.	3283.	4358.	
11.75	753.	1995.	3309.	4375.	

TOTAL COMPARTMENT VOLUME 4615. GALLONS.
 THIS CHART IS BASED ON THEORETICAL DIMENSIONS.
 AN ACTUAL WATER CALIBRATION MAY BE NECESSARY FOR GREATER ACCURACY.

CALIBR. CHART STRAIGHT ROUND
INCHAGE

224329

** US GALLONS **

COMPARTMENT LENGTH= 465.000 INCHES BARREL/CPT I.D.= 53.125 INCHES
HEAD GALLONAGE= 125. GALLONS INCREMENT= .250 INCHES

	0 FT	1 FT	2FT	3FT	4 FT
.00	0.	776.	2023.	3335.	4391.
.25	2.	799.	2051.	3361.	4407.
.50	7.	822.	2078.	3386.	4422.
.75	13.	846.	2106.	3412.	4438.
1.00	20.	869.	2134.	3438.	4452.
1.25	27.	893.	2162.	3463.	4467.
1.50	36.	917.	2189.	3488.	4481.
1.75	45.	941.	2217.	3513.	4494.
2.00	55.	966.	2245.	3539.	4508.
2.25	66.	990.	2273.	3563.	4520.
2.50	77.	1015.	2301.	3588.	4532.
2.75	89.	1039.	2329.	3613.	4544.
3.00	102.	1064.	2356.	3637.	4555.
3.25	114.	1089.	2384.	3662.	4565.
3.50	128.	1114.	2412.	3686.	4575.
3.75	141.	1140.	2440.	3710.	4584.
4.00	156.	1165.	2468.	3734.	4592.
4.25	170.	1191.	2495.	3758.	4599.
4.50	185.	1216.	2523.	3782.	4606.
4.75	201.	1242.	2551.	3805.	4611.
5.00	217.	1268.	2579.	3828.	4615.
5.25	233.	1294.	2606.	3851.	
5.50	249.	1320.	2634.	3874.	
5.75	266.	1346.	2662.	3897.	
6.00	283.	1372.	2689.	3920.	
6.25	301.	1398.	2717.	3942.	
6.50	319.	1425.	2744.	3964.	
6.75	337.	1451.	2772.	3986.	
7.00	355.	1478.	2799.	4008.	
7.25	374.	1505.	2827.	4029.	
7.50	393.	1531.	2854.	4051.	
7.75	412.	1558.	2881.	4072.	
8.00	432.	1585.	2909.	4093.	
8.25	451.	1612.	2936.	4113.	
8.50	471.	1639.	2963.	4134.	
8.75	492.	1666.	2990.	4154.	
9.00	512.	1693.	3017.	4174.	
9.25	533.	1720.	3044.	4194.	
9.50	554.	1748.	3071.	4213.	
9.75	575.	1775.	3097.	4232.	
10.00	597.	1802.	3124.	4251.	
10.25	618.	1830.	3151.	4270.	
10.50	640.	1857.	3177.	4288.	
10.75	662.	1885.	3204.	4306.	
11.00	685.	1912.	3230.	4323.	
11.25	707.	1940.	3256.	4341.	
11.50	730.	1968.	3283.	4358.	
11.75	753.	1995.	3309.	4375.	

TOTAL COMPARTMENT VOLUME 4615. GALLONS.

THIS CHART IS BASED ON THEORETICAL DIMENSIONS.

AN ACTUAL WATER CALIBRATION MAY BE NECESSARY FOR GREATER ACCURACY.

CALIBRATION CHART STRAIGHT ROUND
INNAGE

** US GALLONS **

199

224230

COMPARTMENT LENGTH= 468.000 INCHES BARREL/CPT I.D.= 53.125 INCHES
HEAD GALLONAGE= 125. GALLONS INCREMENT= .250 INCHES

	0 FT	1 FT	2FT	3FT	4 FT
.00	0.	776.	2023.	3339.	4391.
.25	2.	799.	2051.	3361.	4407.
.50	7.	822.	2078.	3386.	4422.
.75	13.	846.	2106.	3412.	4438.
1.00	20.	869.	2134.	3438.	4452.
1.25	27.	893.	2162.	3463.	4467.
1.50	36.	917.	2189.	3488.	4481.
1.75	45.	941.	2217.	3513.	4494.
2.00	55.	966.	2245.	3539.	4508.
2.25	66.	990.	2273.	3563.	4520.
2.50	77.	1015.	2301.	3588.	4532.
2.75	89.	1039.	2329.	3613.	4544.
3.00	102.	1064.	2356.	3637.	4555.
3.25	114.	1089.	2384.	3662.	4565.
3.50	128.	1114.	2412.	3686.	4575.
3.75	141.	1140.	2440.	3710.	4584.
4.00	156.	1165.	2468.	3734.	4592.
4.25	170.	1191.	2495.	3758.	4599.
4.50	185.	1216.	2523.	3782.	4606.
4.75	201.	1242.	2551.	3805.	4611.
5.00	217.	1268.	2579.	3828.	4615.
5.25	233.	1294.	2606.	3851.	
5.50	249.	1320.	2634.	3874.	
5.75	266.	1346.	2662.	3897.	
6.00	283.	1372.	2689.	3920.	
6.25	301.	1398.	2717.	3942.	
6.50	319.	1425.	2744.	3964.	
6.75	337.	1451.	2772.	3986.	
7.00	355.	1478.	2799.	4008.	
7.25	374.	1505.	2827.	4029.	
7.50	393.	1531.	2854.	4051.	
7.75	412.	1558.	2881.	4072.	
8.00	432.	1585.	2909.	4093.	
8.25	451.	1612.	2936.	4113.	
8.50	471.	1639.	2963.	4134.	
8.75	492.	1666.	2990.	4154.	
9.00	512.	1693.	3017.	4174.	
9.25	533.	1720.	3044.	4194.	
9.50	554.	1748.	3071.	4213.	
9.75	575.	1775.	3097.	4232.	
10.00	597.	1802.	3124.	4251.	
10.25	618.	1830.	3151.	4270.	
10.50	640.	1857.	3177.	4288.	
10.75	662.	1885.	3204.	4306.	
11.00	685.	1912.	3230.	4323.	
11.25	707.	1940.	3256.	4341.	
11.50	730.	1968.	3283.	4358.	
11.75	753.	1995.	3309.	4375.	

TOTAL COMPARTMENT VOLUME 4615. GALLONS.

THIS CHART IS BASED ON THEORETICAL DIMENSIONS.

AN ACTUAL WATER CALIBRATION MAY BE NECESSARY FOR GREATER ACCURACY.

CALIBRATION CHART STRAIGHT ROUND
 INNAGE
 ** US GALLONS **

224231

COMPARTMENT LENGTH= 468.000 INCHES BARREL/CPT I.D.= 53.125 INCHES
 HEAD GALLONAGE= 125. GALLONS INCREMENT= .250 INCHES

	0 FT	1 FT	2FT	3FT	4 FT
.00	0.	776.	2023.	3335.	4391.
.25	2.	799.	2051.	3361.	4407.
.50	7.	822.	2078.	3386.	4422.
.75	13.	846.	2106.	3412.	4438.
1.00	20.	869.	2134.	3438.	4452.
1.25	27.	893.	2162.	3463.	4467.
1.50	36.	917.	2189.	3488.	4481.
1.75	45.	941.	2217.	3513.	4494.
2.00	55.	966.	2245.	3539.	4508.
2.25	66.	990.	2273.	3563.	4520.
2.50	77.	1015.	2301.	3588.	4532.
2.75	89.	1039.	2329.	3613.	4544.
3.00	102.	1064.	2356.	3637.	4555.
3.25	114.	1089.	2384.	3662.	4565.
3.50	128.	1114.	2412.	3686.	4575.
3.75	141.	1140.	2440.	3710.	4584.
4.00	156.	1165.	2468.	3734.	4592.
4.25	170.	1191.	2495.	3758.	4599.
4.50	185.	1216.	2523.	3782.	4606.
4.75	201.	1242.	2551.	3805.	4611.
5.00	217.	1268.	2579.	3828.	4615.
5.25	233.	1294.	2606.	3851.	
5.50	249.	1320.	2634.	3874.	
5.75	266.	1346.	2662.	3897.	
6.00	283.	1372.	2689.	3920.	
6.25	301.	1398.	2717.	3942.	
6.50	319.	1425.	2744.	3964.	
6.75	337.	1451.	2772.	3986.	
7.00	355.	1478.	2799.	4008.	
7.25	374.	1505.	2827.	4029.	
7.50	393.	1531.	2854.	4051.	
7.75	412.	1558.	2881.	4072.	
8.00	432.	1585.	2909.	4093.	
8.25	451.	1612.	2936.	4113.	
8.50	471.	1639.	2963.	4134.	
8.75	492.	1666.	2990.	4154.	
9.00	512.	1693.	3017.	4174.	
9.25	533.	1720.	3044.	4194.	
9.50	554.	1748.	3071.	4213.	
9.75	575.	1775.	3097.	4232.	
10.00	597.	1802.	3124.	4251.	
10.25	618.	1830.	3151.	4270.	
10.50	640.	1857.	3177.	4288.	
10.75	662.	1885.	3204.	4306.	
11.00	685.	1912.	3230.	4323.	
11.25	707.	1940.	3256.	4341.	
11.50	730.	1968.	3283.	4358.	
11.75	753.	1995.	3309.	4375.	

TOTAL COMPARTMENT VOLUME 4615. GALLONS.
 THIS CHART IS BASED ON THEORETICAL DIMENSIONS.
 AN ACTUAL WATER CALIBRATION MAY BE NECESSARY FOR GREATER ACCURACY.

224233

CA RATION CHART STRAIGHT ROUND
LIGNAGE
** US GALLONS **

209

20

COMPARTMENT LENGTH= 468.000 INCHES BARREL/CPT I.D.= 53.125 INCHES
HEAD GALLONAGE= 125. GALLONS INCREMENT= .250 INCHES

0 FT	1 FT	2FT	3FT	4 FT	
.00	0.	776.	2023.	3335.	4391.
.25	2.	799.	2051.	3361.	4407.
.50	7.	822.	2078.	3386.	4422.
.75	13.	846.	2106.	3412.	4438.
1.00	20.	869.	2134.	3438.	4452.
1.25	27.	893.	2162.	3463.	4467.
1.50	36.	917.	2189.	3488.	4481.
1.75	45.	941.	2217.	3513.	4494.
2.00	55.	966.	2245.	3539.	4508.
2.25	66.	990.	2273.	3563.	4520.
2.50	77.	1015.	2301.	3588.	4532.
2.75	89.	1039.	2329.	3613.	4544.
3.00	102.	1064.	2356.	3637.	4555.
3.25	114.	1089.	2384.	3662.	4565.
3.50	128.	1114.	2412.	3686.	4575.
3.75	141.	1140.	2440.	3710.	4584.
4.00	156.	1165.	2468.	3734.	4592.
4.25	170.	1191.	2495.	3758.	4599.
4.50	185.	1216.	2523.	3782.	4606.
4.75	201.	1242.	2551.	3805.	4611.
5.00	217.	1268.	2579.	3828.	4615.
5.25	233.	1294.	2606.	3851.	
5.50	249.	1320.	2634.	3874.	
5.75	266.	1346.	2662.	3897.	
6.00	283.	1372.	2689.	3920.	
6.25	301.	1398.	2717.	3942.	
6.50	319.	1425.	2744.	3964.	
6.75	337.	1451.	2772.	3986.	
7.00	355.	1478.	2799.	4008.	
7.25	374.	1505.	2827.	4029.	
7.50	393.	1531.	2854.	4051.	
7.75	412.	1558.	2881.	4072.	
8.00	432.	1585.	2909.	4093.	
8.25	451.	1612.	2936.	4113.	
8.50	471.	1639.	2963.	4134.	
8.75	492.	1666.	2990.	4154.	
9.00	512.	1693.	3017.	4174.	
9.25	533.	1720.	3044.	4194.	
9.50	554.	1748.	3071.	4213.	
9.75	575.	1775.	3097.	4232.	
10.00	597.	1802.	3124.	4251.	
10.25	618.	1830.	3151.	4270.	
10.50	640.	1857.	3177.	4288.	
10.75	662.	1885.	3204.	4306.	
11.00	685.	1912.	3230.	4323.	
11.25	707.	1940.	3256.	4341.	
11.50	730.	1968.	3283.	4358.	
11.75	753.	1995.	3309.	4375.	

L41203

1-423-688

9175

TOTAL COMPARTMENT VOLUME 4615. GALLONS.
THIS CHART IS BASED ON THEORETICAL DIMENSIONS.
AN ACTUAL WATER CALIBRATION MAY BE NECESSARY FOR GREATER ACCURACY.